SONY | Professional Solutions

PRODUCT FLASH

Commercial 4K Display

Introducing Sony's commercial grade display panel, specifically designed for digital signage, information and monitoring applications, as well as use in meeting rooms, classrooms, lobbies, showrooms, sports venues and more.

Built on the most powerful processor and display device technology, the FW-BZ35F series is designed to reproduce the best picture quality and is highly reliable. This series also adds professional features like network and serial control, flexible installation options and high brightness.

FW – BZ35F Series	85	75	65	55	49	43

Available sizes

FW-BZ35F series does not have a TV turner.

FEATURES

- 4K HDR Processor ™ X1
- 400 - 620 (cd/m2)
- IP Control
- RS232C Control
- Edge LED 43" to 75" Direct LED 85"
- Export and import settings to/from USB flash memory
- Basic meeting room app pre downloaded
- Over 100 REST APIs, enabling control and monitoring from remote locations and integration with external systems
- Direct access to pro mode
- Customisable menu setting
- 3 year commercial warranty

OLED Display

True reality comes to life with perfect black and colour. Over 8 million self-illuminating pixels are precisely and individually controlled by the 4K HDR X1 Extreme processor. Sony's OLED TV creates a stunning picture with perfect black, contrast and colour.

FWD – A9 Series	65	55
FWD – A8 Series	65	55

Available sizes

FEATURES

- 17/7 operation
- 4K HDR X1 Extreme™ Processor
- Acoustic Surface with built-in subwoofers
- IP control
- 3 year commercial warranty

All information contained herein is correct at time of printing. Sony Australia accepts no responsibility for false or misleading information.

SONY | Professional Solutions

PRODUCT FLASH

4K Display

PREMIUM 4K

Sony Pro BRAVIA premium 4K HDR display panel. The FWD-X85F and FWD-X83F series is powered by Sony's exclusive 4K HDR Processor X1 chip. Designed with a narrow aluminium bezel for an ultra modern look and feel.

FWD - X85F Series	85	75	65	55

Available sizes

4K HDR | X1 4K HDR Processor | android tv | Motionflow XR 800 | 4K X-Reality PRO | TRILUMINOS DISPLAY

FEATURES

- 17/7 operation
- 4K HDR Processor ™ X1
- 4K HDR
- IP control
- Edge LED 55" to 75" Direct LED 85"
- MotionflowXR 800 for smoother motion
- TRILUMINOS Display
- Pro mode
- 3 year commercial warranty

ENTRY 4K

Sony Pro BRAVIA entry 4K HDR display panel. The FWD-X75F series is the cost effective android TV, 4K HDR and complete control (with both RS232C and IP) choice available.

FWD – X75F Series	65	55	49	43

Available sizes

4K HDR | android tv | Motionflow XR 200 | 4K X-Reality PRO

FEATURES

- 17/7 operation
- 4K HDR
- IP control
- RS232C control
- Edge LED 43", 49" Direct LED 55" 65"
- MotionflowXR 200 for smoother motion
- TRILUMINOS Display
- Pro model
- 3 year commercial warranty

All information contained herein is correct at time of printing. Sony Australia accepts no responsibility for false or misleading information.

SONY | ProfessionalSolutions

PRODUCT FLASH

Full HD Display

Sony Pro BRAVIA Full HD display panel. The FWD-W660 series gives exceptional Full HD clarity with our latest HDR and upscaling technologies.

FWD-W66F Series | 55 | 43 | 32 | HDR | Full HD 1080 | X-Reality PRO | Motionflow XR 200

Available sizes

FEATURES

- 17/7 operation
- IP Control^
- Direct LED 43”, 50” Edge LED 32”
- Pro mode (Simple)
- MotionflowXR 200 for smoother motion
- 3 year commercial warranty

^Firmware update needed for IP control.
Please talk to your Sony Sales Representative.

Pro BRAVIA SWAP

Sony Pro BRAVIA SWAP is an optional premium support program that can be purchased. This program is designed to reduce the down time and minimise the disruption to your business by providing a replacement panel should your Pro BRAVIA panel experience any technical issues.

Simply return your faulty unit in exchange for a replacement unit. Terms and Conditions apply.

Simple Digital Signage

Simple Media Player 2 is a software that allows you to play content (movie, still images, HTML) on a Pro BRAVIA display using a USB flash memory thumb drive.

This is a free software that provides a basic signage solution, if a more complex and custom signage solution requirement is needed a paid Pro BRAVIA signage software is available. Please speak to your Sony Sales Representative for a product demo or for more information.

Why choose Sony Pro BRAVIA Display?

Guaranteed peace-of-mind & reliability
Sony BRAVIA display panels are best in industry and also backed up by a comprehensive service support should you need it.

Choice
The 4K models in our line-up represents the widest choice of 4K B2B displays currently available on the market, ranging from 43inches to 85inches.

Designed for business
Powered by the most powerful image Processor Technology and best user experience platform, Sony Pro BRAVIA 4K display panels are the perfect solution for your business.

All information contained herein is correct at time of printing. Sony Australia accepts no responsibility for false or misleading information.

SONY | Professional Solutions

PRODUCT FLASH

SPECIFICATION

FW-BZ35F TILT INSTALLATION



Landscape -20 leaning | Landscape +60 leaning | Portrait No leaning | Portrait +20 leaning

FW-BZ35F Series

		FW85BZ35F	FW75BZ35F	FW65BZ35F	FW55BZ35F	FW49BZ35F	FW43BZ35F
System	OS	Android	Android	Android	Android	Android	Android
	TV Turner	No	No	No	No	No	No
Panel	Brightness (cd/m2)	620	620	620	620	505	505
	Response Time (ms)(*1)	6	5	5	5	8	5
	Panel type (IPS / VA)	VA	IPS	IPS	IPS	VA	IPS
	Panel Surface	Anti Glare	Anti Glare	Anti Glare	Anti Glare	Anti Glare	Anti Glare
	Backlight type	Direct LED	Edge LED	Edge LED	Edge LED	Edge LED	Edge LED
Video	HDR compatibility	HDR10/HLG	HDR10/HLG	HDR10/HLG	HDR10/HLG	HDR10/HLG	HDR10/HLG
Size	VESA® Hole Pitch (mm)	400x400	400x300	300x300	300x200	200x200	100x200
	Display Only (WxHxD) (mm)	1911x1098x73	1673x963x54	1450x836x52	1231x713x52	1098x644x58	965x569x58
	Display with Stand (WxHxD) (mm)	1911x1176x429	1673x1031x371	1450x900x315	1231x776x315	1098x703x279	965x628x279
	Package Carton (WxHxD) (mm)	2082x1233x369	1884x1083x188	1565x946x179	1332x817x158	1188x776x148	1070x695x148
Weight	Display Only (kg)	44.1	38.9	25.6	19.1	13.2	10.8
	Display with Stand (kg)	46.2	40.1	26.5	20	13.7	11.3
	Package Carton (kg)	64	53	35	26	19	15
Power	Power consumption (W)	378	250	196	170	145	120
	Power consumption (in Standby) (W)	0.5	0.5	0.5	0.5	0.5	0.5
Installation	Portrait | Tilt	Yes	Yes	Yes	Yes	Yes	Yes
Signage	Easy HTML5 Signage embedded	Yes	Yes	Yes	Yes	Yes	Yes
	Multicast / IPTV	Yes	Yes	Yes	Yes	Yes	Yes
Control	Pro Mode	Yes	Yes	Yes	Yes	Yes	Yes
	IP	Yes	Yes	Yes	Yes	Yes	Yes
	RS232C	Yes	Yes	Yes	Yes	Yes	Yes
Other	Bezel Type	Aluminium (Bottom is molded plastic)	Aluminium (Bottom is molded plastic)	Aluminium (Bottom is molded plastic)	Aluminium (Bottom is molded plastic)	Aluminium (Bottom is molded plastic)	Aluminium (Bottom is molded plastic)
	Bezel Size (Top|Side|Bottom) (mm)	17x17x17	9.6x9.6x15.6	8.5x8.5x14.1	8.5x8.5x14.1	9.3x9.8x18.4	8.8x9.3x18.4
	Warranty	3 Year	3 Year	3 Year	3 Year	3 Year	3 Year

FWD-X85F/FWD-X83F Series

		FWD85X85F	FWD75X85F	FWD65X85F	FWD55X85F
System	OS	Android	Android	Android	Android
	TV Turner	Yes	Yes	Yes	Yes
Panel	Brightness (cd/m2)	620	620	620	620
	Operating Hours	17/7	17/7	17/7	17/7
	Response Time (ms)(*1)	6	5	5	5
	Backlight type	Direct LED	Edge LED	Edge LED	Edge LED
Video	HDR compatibility	HDR10/HLG	HDR10/HLG	HDR10/HLG	HDR10/HLG
Size	VESA® Hole Pitch (mm)	400x400	400x300	300x300	300x200
	Display Only (WxHxD) (mm)	1911x1098x73	1673x963x54	1450x836x52	1231x713x52
	Display with Stand (WxHxD) (mm)	1911x1176x429	1673x1031x371	1450x900x315	1231x776x315
	Package Carton (WxHxD) (mm)	2082x1233x369	1884x1083x188	1565x946x179	1332x817x158
Weight	Display Only (kg)	44.1	38.9	25.6	19.1
	Display with Stand (kg)	46.2	40.1	26.5	20
	Package Carton (kg)	64	53	35	26
Power	Power consumption (W)	378	250	196	170
	Power consumption (in Standby) (W)	0.5	0.5	0.5	0.5
Installation	Portrait | Tilt	No	No	No	No
Signage	Easy HTML5 Signage embedded	Yes	Yes	Yes	Yes
	Multicast / IPTV	Yes	Yes	Yes	Yes
Control	Pro Mode	Yes	Yes	Yes	Yes
	IP	Yes	Yes	Yes	Yes
	RS232C	No	No	No	No
Other	Bezel Type	Aluminium (Bottom is molded plastic)	Aluminium (Bottom is molded plastic)	Aluminium (Bottom is molded plastic)	Aluminium (Bottom is molded plastic)
	Bezel Size (Top|Side|Bottom) (mm)	17x17x17	9.6x9.6x15.6	8.5x8.5x14.1	8.5x8.5x14.1
	Warranty	3 Year	3 Year	3 Year	3 Year

All information contained herein is correct at time of printing. Sony Australia accepts no responsibility for false or misleading information.

PRODUCT FLASH

SPECIFICATION

FWD-X75F Series

		FWD85X85F	FWD75X85F	FWD65X85F	FWD55X85F
System	OS	Android	Android	Android	Android
	TV Turner	Yes	Yes	Yes	Yes
Panel	Brightness (cd/m2)	620	620	620	620
	Operating Hours	17/7	17/7	17/7	17/7
	Response Time (ms)(*1)	6	5	5	5
	Backlight type	Direct LED	Edge LED	Edge LED	Edge LED
Video	HDR compatibility	HDR10/HLG	HDR10/HLG	HDR10/HLG	HDR10/HLG
Size	VESA® Hole Pitch (mm)	400x400	400x300	300x300	300x200
	Display Only (WxHxD) (mm)	1911x1098x73	1673x963x54	1450x836x52	1231x713x52
	Display with Stand (WxHxD) (mm)	1911x1176x429	1673x1031x371	1450x900x315	1231x776x315
	Package Carton (WxHxD) (mm)	2082x1233x369	1884x1083x188	1565x946x179	1332x817x158
Weight	Display Only (kg)	44.1	38.9	25.6	19.1
	Display with Stand (kg)	46.2	40.1	26.5	20
	Package Carton (kg)	64	53	35	26
Power	Power consumption (W)	378	250	196	170
	Power consumption (in Standby) (W)	0.5	0.5	0.5	0.5
Installation	Portrait | Tilt	No	No	No	No
Signage	Easy HTML5 Signage embedded	Yes	Yes	Yes	Yes
	Multicast / IPTV	Yes	Yes	Yes	Yes
Control	Pro Mode	Yes	Yes	Yes	Yes
	IP	Yes	Yes	Yes	Yes
	RS232C	Yes	Yes	Yes	Yes
Other	Bezel Type	Aluminium (Bottom is molded plastic)	Aluminium (Bottom is molded plastic)	Aluminium (Bottom is molded plastic)	Aluminium (Bottom is molded plastic)
	Bezel Size (Top|Side|Bottom) (mm)	17x17x17	9.6x9.6x15.6	8.5x8.5x14.1	8.5x8.5x14.1
	Warranty	3 Year	3 Year	3 Year	3 Year

FWD-W66F Series

		FWD50W66F	FWD43W66F	FWD32W66E
System	OS	Linux	Linux	Linux
	TV Turner	Yes	Yes	Yes
Panel	Brightness (cd/m2)	350	350	350
	Operating Hours	17/7	17/7	17/7
	Response Time (ms)(*1)	8	8	8
	Backlight type	Direct LED	Direct LED	Edge LED
Video	HDR compatibility	HDR10/HLG	HDR10/HLG	HDR10/HLG
Size	VESA® Hole Pitch (mm)	200x200	200x200	200x200
	Display Only (WxHxD) (mm)	1130x660x68	974x572x68	731x442x70
	Display with Stand (WxHxD) (mm)	1130x717x268	974x628x268	731x490x187
	Package Carton (WxHxD) (mm)	1228x786x150	1072x696x150	822x535x152
Weight	Display Only (kg)	11	7.8	5.8
	Display with Stand (kg)	11.4	8.2	6.2
	Package Carton (kg)	16	12	9
Power	Power consumption (W)	117	60	60
	Power consumption (in Standby) (W)	0.5	0.5	0.5
Installation	Portrait | Tilt	No	No	No
Signage	Easy HTML5 Signage embedded	No	No	No
	Multicast / IPTV	No	No	No
Control	Pro Mode	Yes (Simple)	Yes (Simple)	Yes (Simple)
	IP	Yes^	Yes^	Yes^
	RS232C	No	No	No
Other	Bezel Type	Molded Plastic	Molded Plastic	Molded Plastic
	Bezel Size (Top|Side|Bottom) (mm)	12.6x14.6x18	12x14.4x16.9	12.31x13.9x28.63
	Warranty	3 Year	3 Year	3 Year

^Firmware update needed for IP control. Please talk to your Sony Sales Representative.

All information contained herein is correct at time of printing. Sony Australia accepts no responsibility for false or misleading information.