

Poly Blackwire 3320 Stereo Microsoft Teams Certified USB-C Headset +USB-C/A Adapter

- Active
- 8X220AA
- NG

Specifications

All Specs

Boom mic length (mm)	135 mm
Boom mic rotation	280°
Cable length	65.8 cm (inline module to headset); 145.08 cm (USB to inline module); 217.93 cm (total USB to headset)
Cartons per layer	10
Cartons per pallet	80
Certified collaboration software	Microsoft Teams certified; Works With Chromebook certified
Color	Black
Compatibility	Compatible with PCs via USB/USB Type-C®, connects to mobile devices and tablets via 3.5 mm (BW3315/BW3325) and devices that support USB Type-C®
Compatible Operating Systems	Windows 11; Windows 10; macOS; Android™; iOS
Connection type	Wired: USB Type-C®, USB Type-C®/A adapter
Connects to	PC
Country of origin	Made in China or Mexico
Dimensions (W x D x H)	166 x 39.5 x 199 mm
Ecolabels	TCO Certified
End of Life CO2e (kg)	0.1
Headphone type	On-ear (stereo)
Impedance	32 ohm
Layers per pallet	8
Management Software	Poly Lens
Manufacturer product number	214013-101
Manufacturer Warranty	Poly standard two-year limited warranty

Material Type for item	FERT
Microphone bandwidth	100 Hz to 10 kHz
Microphone type	Noise cancelling
Multiple order quantity	10
Nominal sound pressure level	94 dB SPL
Package dimensions (W x D x H)	190 x 209.8 x 54.86 mm
Package weight	300 g
Pallet dimensions (W x D x H)	101.6 x 121.9 x 194 cm
Pallet weight	357 kg
Production CO2e (kg)	5
Products per pallet	800
Products per pallet layer	100
Registration required	No
Sensitivity (microphone)	11 dB SLR
Sensitivity (speaker)	-3.5 dB RLR
Signal-to-noise ratio	>24 dB
Speaker bandwidth	20 Hz to 20 kHz
Speaker size	32 mm
Total CO2e (kg)	10
Transportation CO2e (kg)	0.2
UNSPSC code	43191638
Weight	131 g
What's in the box	User guide; Headset; USB Type-C® to USB Type-A adapter

Logistics

What's in the box	User guide; Headset; USB Type-C® to USB Type-A adapter
-------------------	--

Cable length	65.8 cm (inline module to headset); 145.08 cm (USB to inline module); 217.93 cm (total USB to headset)
Package dimensions (W x D x H)	190 x 209.8 x 54.86 mm
Pallet dimensions (W x D x H)	101.6 x 121.9 x 194 cm
Dimensions (W x D x H)	166 x 39.5 x 199 mm
Country of origin	Made in China or Mexico
Cartons per layer	10
Cartons per pallet	80
Multiple order quantity	10
Layers per pallet	8
Products per pallet	800
Products per pallet layer	100
Manufacturer product number	214013-101
Material Type for item	FERT
UNSPSC code	43191638
Package weight	300 g
Pallet weight	357 kg
Weight	131 g
Sustainability	
Country of origin	Made in China or Mexico
End of Life CO2e (kg)	0.1
Energy Usage CO2e (kg)	3
Production CO2e (kg)	5
Total CO2e (kg)	10
Transportation CO2e (kg)	0.2



Specifications

[1] SoundGuard Digital Plantronics owns sophisticated algorithms including: Protects against Acoustic Shock by limiting sounds to below 118 dBA; G616 anti-startle protection that limits the noise level to below 102 dB SPL and is therefore compliant to the Australian Communications Industry Forum (ACIF) G616 recommendation; Average daily noise exposure measures and controls sound to prevent the average daily sounds exposure from exceeding 80 dBA or 85 dBA time-weighted average (TWA).

[2] Requires Poly Lens Desktop App to enable SoundGuard Digital features.

[3] Requires downloadable software on Poly.com/lens. Host PC requires Windows 10 or higher.

Legal disclaimer