

Poly Blackwire 8225 Stereo Microsoft Teams Certified USB-C Headset +USB-C/A Adapter

- Active
- 8X225AA
- NG

Specifications

All Specs

Audio	Hybrid Active noise cancellation (ANC); Microsoft Teams Open Office certified; Microphone noise cancellation with Acoustic Fence technology
Boom mic length (mm)	135 mm
Boom mic rotation	280°
Cable length	63 cm (inline module to headset); 149 cm (USB to inline module); 219 cm (total USB to headset)
Cartons per layer	10
Cartons per pallet	80
Certified collaboration software	Microsoft Teams certified; Works With Chromebook certified
Color	Black
Compatibility	Compatible with PCs via USB Type-C® cable or USB Type-C®/A adapter
Compatible Operating Systems	Windows 11; Windows 10; macOS
Connection type	Wired: USB Type-C®, USB Type-C®/A adapter
Connects to	PC
Country of origin	Made in China or Mexico
Dimensions (W x D x H)	155 x 32 x 18 mm
End of Life CO2e (kg)	0.1
Headphone type	On-ear (stereo)
Impedance	32 ohm
Indicator light	On call
Layers per pallet	8
Management Software	Poly Lens
Manufacturer product number	214409-01M

Manufacturer Warranty	Poly standard two-year limited warranty
Material Type for item	FERT
Microphone bandwidth	100 Hz to 10 kHz
Microphone type	Noise cancelling
Multiple order quantity	10
Package dimensions (W x D x H)	183 x 209 x 55 mm
Package weight	300 g
Pallet dimensions (W x D x H)	101.6 x 121.9 x 194 cm
Pallet weight	357 kg
Production CO2e (kg)	9
Products per pallet	800
Products per pallet layer	100
Registration required	No
Sensitivity (microphone)	10 dB SLR
Sensitivity (speaker)	6 dB RLR
Signal-to-noise ratio	>24 dB
Speaker bandwidth	200 Hz to 6.8 kHz (speech mode); 20 Hz to 20 kHz (media mode)
Speaker size	32 mm
Total CO2e (kg)	10
Transportation CO2e (kg)	0.2
UNSPSC code	43191638
Weight	186 g
What's in the box	Carrying case; User guide; Headset; USB Type-C® to USB Type-A adapter

Logistics

What's in the box	Carrying case; User guide; Headset; USB Type-C® to USB Type-A adapter
-------------------	---

Cable length	63 cm (inline module to headset); 149 cm (USB to inline module); 219 cm (total USB to headset)
Package dimensions (W x D x H)	183 x 209 x 55 mm
Pallet dimensions (W x D x H)	101.6 x 121.9 x 194 cm
Dimensions (W x D x H)	155 x 32 x 18 mm
Country of origin	Made in China or Mexico
Cartons per layer	10
Cartons per pallet	80
Multiple order quantity	10
Layers per pallet	8
Products per pallet	800
Products per pallet layer	100
Manufacturer product number	214409-01M
Material Type for item	FERT
UNSPSC code	43191638
Package weight	300 g
Pallet weight	357 kg
Weight	186 g
Sustainability	
Country of origin	Made in China or Mexico
End of Life CO2e (kg)	0.1
Energy Usage CO2e (kg)	3
Production CO2e (kg)	9
Total CO2e (kg)	10
Transportation CO2e (kg)	0.2



Specifications

[1] SoundGuard Digital Plantronics owns sophisticated algorithms including: Protects against Acoustic Shock by limiting sounds to below 118 dBA; G616 anti-startle protection that limits the noise level to below 102 dB SPL and is therefore compliant to the Australian Communications Industry Forum (ACIF) G616 recommendation; Average daily noise exposure measures and controls sound to prevent the average daily sounds exposure from exceeding 80 dBA or 85 dBA time-weighted average (TWA).

[2] Requires Poly Lens Desktop App to enable SoundGuard Digital features.

[3] Requires downloadable software on Poly.com/lens. Host PC requires Windows 10 or higher.

Legal disclaimer