

Poly Savi 7310 Monaural DECT 1880-1900 MHz Top

- Active
- 8Y9B6AA
- NG

Specifications

All Specs

Battery life	Up to 13 hours (talk time); Up to 52 hours (standby time)
Battery type	Rechargeable Li-ion polymer
Cartons per layer	10
Cartons per pallet	80
Charge time	<2 hours
Connection type	DECT™
Country of origin	Made in Mexico
Indicator light	On call
Layers per pallet	8
Manufacturer Warranty	Poly standard two-year limited warranty
Material Type for item	FERT
Multiple order quantity	10
Package dimensions (W x D x H)	190 x 210 x 55 mm
Package weight	300 g
Pallet dimensions (W x D x H)	101.6 x 121.9 x 194.8 cm
Pallet weight	357 kg
Products per pallet	800
Products per pallet layer	100
Registration required	No
Speaker bandwidth	100 Hz to 6.8 kHz (wideband mode); 20 Hz to 20 kHz (multimedia mode)
Special features	Adjustable headband

UNSPSC code	43191638
UPC number	197498537573
What's in the box	Headset (top only)

Logistics

UPC number	197498537573
What's in the box	Headset (top only)
Package dimensions (W x D x H)	190 x 210 x 55 mm
Pallet dimensions (W x D x H)	101.6 x 121.9 x 194.8 cm
Country of origin	Made in Mexico
Cartons per layer	10
Cartons per pallet	80
Multiple order quantity	10
Layers per pallet	8
Products per pallet	800
Products per pallet layer	100
Material Type for item	FERT
UNSPSC code	43191638
Package weight	300 g
Pallet weight	357 kg

Sustainability

Country of origin	Made in Mexico
-------------------	----------------

Specifications



[1] SoundGuard Digital Plantronics owns sophisticated algorithms including: Protects against Acoustic Shock by limiting sounds to below 118 dBA; G616 anti-startle protection that limits the noise level to below 102 dB SPL and is therefore compliant to the Australian Communications Industry Forum (ACIF) G616 recommendation; Average daily noise exposure measures and controls sound to prevent the average daily sounds exposure from exceeding 80 dBA or 85 dBA time-weighted average (TWA).

[2] Requires Poly Lens Desktop App to enable SoundGuard Digital features.

Legal disclaimer