

Poly Savi 7320 Stereo DECT 1880-1900 MHz Top

- Active
- 8Y9B7AA
- NG

Specifications

All Specs

Audio	Noise cancellation with Acoustic Fence technology; Up to 2x more density than other DECT™ headsets; Adaptive power control to maximize user density
Battery life	Up to 13 hours (talk time); Up to 52 hours (standby time)
Battery type	Rechargeable Li-ion polymer
Cartons per layer	6
Cartons per pallet	48
Charge time	2 hours
Charging plug	USB Type-C® to USB Type-A; USB Type-C® to USB Type-C®
Color	Black
Compatible Operating Systems	macOS; Windows
Connection type	DECT™
Country of origin	Made in Mexico
Headphone type	On-ear (stereo)
Indicator light	On call
Layers per pallet	8
Management Software	Poly Lens
Manufacturer Warranty	Poly standard two-year limited warranty
Material Type for item	FERT
Minimum System Requirements	USB Type-A port; USB Type-C® port
Multiple order quantity	10
Package dimensions (W x D x H)	190 x 210 x 55 mm
Package weight	300 g

Pallet dimensions (W x D x H)	101.6 x 121.9 x 189.9 cm
Pallet weight	357 kg
Products per pallet	480
Products per pallet layer	60
Registration required	No
Security	AES 256 bits encryption; DECT™ security certified; AES 128 bits authentication
Speaker bandwidth	100 Hz to 6.8 kHz (wideband mode); 20 Hz to 20 kHz (multimedia mode)
Special features	Adjustable headband
UNSPSC code	43191638
UPC number	198122289356
Voice alerts	Volume maximum; Volume minimum; Mute on; Mute off; Muted; Connection status; Talk time; Battery low
What's in the box	Headset (top only)
Wireless range	Up to 137 m in open area; Up to 40 m in typical office environment

Logistics

UPC number	198122289356
What's in the box	Headset (top only)
Package dimensions (W x D x H)	190 x 210 x 55 mm
Pallet dimensions (W x D x H)	101.6 x 121.9 x 189.9 cm
Country of origin	Made in Mexico
Cartons per layer	6
Cartons per pallet	48
Multiple order quantity	10
Layers per pallet	8
Products per pallet	480
Products per pallet layer	60

Material Type for item	FERT
UNSPSC code	43191638
Package weight	300 g
Pallet weight	357 kg

Sustainability

Country of origin	Made in Mexico
-------------------	----------------

Specifications

[1] SoundGuard Digital Plantronics owns sophisticated algorithms including: Protects against Acoustic Shock by limiting sounds to below 118 dBA; G616 anti-startle protection that limits the noise level to below 102 dB SPL and is therefore compliant to the Australian Communications Industry Forum (ACIF) G616 recommendation; Average daily noise exposure measures and controls sound to prevent the average daily sounds exposure from exceeding 80 dBA or 85 dBA time-weighted average (TWA).

[2] Requires Poly Lens Desktop App to enable SoundGuard Digital features.

[3] Requires downloadable software on Poly.com/lens. Host PC requires Windows 10 or higher.

Legal disclaimer