

Poly Studio Large Room Kit for MS Teams: Studio E70 Smart Camera with GC8 (ABG)

Discontinued

9C945AA

NJ

Specifications

All Specs

Camera range (metric)	Up to 7.62 m
Camera resolution	2160p, 4K UHD (3840 x 2160)
Camera type	Dual-lens
Color	White
Diagonal field of view (dFoV)	140°; 78°
Dimensions (W x D x H)	321 x 102 x 89.1 mm
Horizontal field of view (hFoV)	120°; 70°
Lens cover capabilities	Integrated
Management Software	Poly Lens
Manufacturer product number	7230-87720-012
Manufacturer Warranty	Poly standard one-year limited warranty
Material Type for item	UNBW
Multiple order quantity	1
Non-Operating Humidity Range	5 to 95%
Non-operating temperature - Celsius	-40 to 70 °C
Operating altitude	4,877 m
Operating humidity range	15 to 80%
Operating temperature range	32 to 104 °F
Pallet weight	357 kg
Ports	1 USB Type-C® 5Gbps signaling rate; 1 RJ-45
Power	100 - 240 VAC 50/60 Hz, 1.5A input; 12 VDC, 5A, 60 W output; Power over Ethernet (PoE), compatible with IEEE 802.3af Class 4

Power adapter port	1 x 4.5 mm
Power supply type	External
Registration required	No
Security	802.1x support; Certification management
Smart camera technology	Poly DirectorAI with speaker framing; People framing; Group framing; Presenter tracking; DirectorAI perimeter
Special features	Air Quality Sensor; Meeting participant counting; Electronic privacy shutter
Total camera resolution (megapixels)	2 x 20 MP
UNSPSC code	45111902
Weight	907 g
What's in the box	Poly Studio E70; USB Type-C® cable; Ethernet cable; Wall mount kit; Poly GC8 controller
Zoom capability	7.3x digital

Logistics

What's in the box	Poly Studio E70; USB Type-C® cable; Ethernet cable; Wall mount kit; Poly GC8 controller
Dimensions (W x D x H)	321 x 102 x 89.1 mm
Multiple order quantity	1
Manufacturer product number	7230-87720-012
Material Type for item	UNBW
UNSPSC code	45111902
Pallet weight	357 kg
Weight	907 g

Specifications

[1] Requires downloadable software on Poly.com/lens. Host PC requires Windows 10 or higher.

Legal disclaimer

