

HP Poly Studio A2 White Table Microphone w/ Mounting Plate I/O cables

- Active
- B22X4AA
- NJ

Specifications

All Specs

Cable length	6 m
Cartons per layer	8
Cartons per pallet	56 (air); 80 (ocean)
Color	White
Compatibility	Poly Studio G62: up to 8 Studio A2 table microphones; Poly Studio X72 and Poly Studio V72: up to 4 Studio A2 table microphones; Poly Studio X52 and Poly Studio V52: up to 4 Studio A2 table microphones; Poly Studio X32: up to 2 Studio A2 table microphones; Poly Studio V12: only 1 Studio A2 table microphone.
Country of origin	Taiwan(ABT, AC3); Thailand(ABT, AC3)
Dimensions (W x D x H)	92 x 92 x 24 mm
End of Life CO2e (kg)	0.5
Layers per pallet	7 (air); 10 (ocean)
Management Software	Poly Lens
Manufacturer Warranty	HP standard one-year limited warranty
Material Type for item	FERT
Microphone pickup range (metric)	Up to 1.8 m radius (Poly Noise Block AI off); Up to 4.3 m radius (Poly Noise Block AI on)
Microphone type	Four uni-directional cardioid microphone elements
Multiple order quantity	12
Non-Operating Humidity Range	5 to 95%
Non-operating temperature - Celsius	-40 to 70 °C
Operating altitude	3,048 m
Operating humidity range	15 to 80%
Operating temperature range	32 to 104 °F
Operating voltage	2 W

Package dimensions (W x D x H)	168 x 140 x 67 mm
Package weight	470 g
Pallet dimensions (W x D x H)	120 x 100 x 203.3 cm (ocean); 120 x 100 x 146.3 cm (air)
Pallet weight	373.8 kg
Ports	3-pin JST output; 4-pin JST input
Production CO2e (kg)	71
Products per pallet	672 (air); 960 (ocean)
Products per pallet layer	96
Registration required	No
Sensitivity (microphone)	-35 dB (V/Pa) at 1 kHz
Signal-to-noise ratio	>68 dBA
Special features	Digital transport (up to 18 m between devices); Supports daisy-chain capability of up to 8 A2 table mics; Built on A2B technology
Sustainability specifications	Contains at least 60% recycled plastic content; Paper-based packaging
Total CO2e (kg)	100
Transportation CO2e (kg)	3
UNSPSC code	52161520
UPC number	(AB1) 199642005495; (ABT) 198828502681; (AC3) 198828502698
Weight	120 g
What's in the box	HP Poly Studio A2 Table Microphone (White); Mounting plate; JST to Phoenix input cable (6 m); JST to Phoenix daisy-chain output cable (2 m); JST to JST daisy-chain cable (1.8 m); Quick start guide; Safety guide; Warranty card

Logistics

UPC number	(AB1) 199642005495; (ABT) 198828502681; (AC3) 198828502698
What's in the box	HP Poly Studio A2 Table Microphone (White); Mounting plate; JST to Phoenix input cable (6 m); JST to Phoenix daisy-chain output cable (2 m); JST to JST daisy-chain cable (1.8 m); Quick start guide; Safety guide; Warranty card
Cable length	6 m
Package dimensions (W x D x H)	168 x 140 x 67 mm
Pallet dimensions (W x D x H)	120 x 100 x 203.3 cm (ocean); 120 x 100 x 146.3 cm (air)

Dimensions (W x D x H)	92 x 92 x 24 mm
Country of origin	Taiwan(ABT, AC3); Thailand(ABT, AC3)
Cartons per layer	8
Cartons per pallet	56 (air); 80 (ocean)
Multiple order quantity	12
Layers per pallet	7 (air); 10 (ocean)
Products per pallet	672 (air); 960 (ocean)
Products per pallet layer	96
Material Type for item	FERT
UNSPSC code	52161520
Package weight	470 g
Pallet weight	373.8 kg
Weight	120 g

Sustainability

Country of origin	Taiwan(ABT, AC3); Thailand(ABT, AC3)
End of Life CO2e (kg)	0.5
Energy Usage CO2e (kg)	22
Production CO2e (kg)	71
Sustainability specifications	Contains at least 60% recycled plastic content; Paper-based packaging
Sustainability specifications footnote number	[2,3]
Total CO2e (kg)	100
Transportation CO2e (kg)	3



[2] Recycled plastic is expressed as a percentage of the total weight plastic. Post-consumer recycled is based on the definition set in the EPEAT standard for computers, IEEE 1680.1-2018 standard.

[3] Percent of paper-based packaging made from sustainably sourced, certified, and recycled fibers.

Legal disclaimer