




2015 Tripod Series Product Brochure

The Elite Tripod Series screen is ideal for indoor and outdoor presentations. This proven and reliable tripod portable projection screen combines precision with the elegance of a traditional design.



Tripod Series

The Elite Tripod Series screen is ideal for indoor and outdoor presentations. This proven and reliable tripod portable projection screen combines precision with the elegance of a traditional design.



Ideal for indoor and outdoor presentations, this proven and reliable tripod portable projection screen combines precision with the elegance of a traditional design. Its rugged construction will withstand the rigors of daily usage while its adjustable locking ring provides ease in its adjustable height settings.

- Standard keystone eliminator
- Heavy duty casing to withstand daily usage
- Auto-locking mechanism controls height adjustment
- Standard 4-side black masking border
- MaxWhite 1.1 Gain screen material is durable and easy to clean
- 180° wide viewing angle for multi-purpose applications
- Available in Black or White metal casings
- Optional fabric carrying case

Tripod Series


Model	Screen Diag. & Aspect Ratio	View Height (in)	View Width (in)	View Height (cm)	View Width (cm)	N.W. (lbs.)	G.W. (lbs.)	N.W. (Kgs)	G.W. (Kgs)	Packaging Dimensions (LxHxW)	Gain	Screen Material	Case Color	Optional Travel Bag
T50UWS1	50"(1:1)	35.0	35.0	88.9	88.9	8.2	9.9	3.6	9.8	43.3"x4.7"x7.1"	1.1	MaxWhite	Black	ZT50S1 Bag
T71NWS1	71"(1:1)	50.0	50.0	127.0	127.0	11.8	15.5	5.4	7.1	60"x4.7"x7"	1.1	MaxWhite	White	ZT71S1 Bag
T71UWS1	71"(1:1)	50.0	50.0	127.0	127.0	11.8	15.5	5.4	7.1	60"x4.7"x7"	1.1	MaxWhite	Black	ZT71S1 Bag
T85NWS1	85"(1:1)	60.0	60.0	152.4	152.4	14.4	17.6	6.6	8.0	70"x4.7"x7"	1.1	MaxWhite	White	ZT85S1 Bag
T85UWS1	85"(1:1)	60.0	60.0	152.4	152.4	14.4	17.6	6.6	8.0	70"x4.7"x7"	1.1	MaxWhite	Black	ZT85S1 Bag
T99NWS1	99"(1:1)	70.0	70.0	177.8	177.8	16.3	19.8	7.4	9.0	80"x4.7"x7"	1.1	MaxWhite	White	ZT99S1 Bag
T99UWS1	99"(1:1)	70.0	70.0	177.8	177.8	16.3	19.8	7.4	9.0	80"x4.7"x7"	1.1	MaxWhite	Black	ZT99S1 Bag
T113NWS1	113"(1:1)	80.0	80.0	203.2	203.2	17.9	22.5	8.1	10.2	90"x4.7"x7"	1.1	MaxWhite	White	ZT113S1 Bag
T113UWS1	113"(1:1)	80.0	80.0	203.2	203.2	17.9	22.5	8.1	10.2	90"x4.7"x7"	1.1	MaxWhite	Black	ZT113S1 Bag
T119NWS1	119"(1:1)	84.0	84.0	213.4	213.4	21.4	24.9	9.7	11.3	94"x4.7"x7"	1.1	MaxWhite	White	ZT119S1 Bag
T119UWS1	119"(1:1)	84.0	84.0	213.4	213.4	21.4	24.9	9.7	11.3	94"x4.7"x7"	1.1	MaxWhite	Black	ZT119S1 Bag
T136NWS1	136"(1:1)	96.0	96.0	243.8	243.8	25.1	28.2	11.4	12.8	105.5"x4.7"x7"	1.1	MaxWhite	White	ZT136S1-120V Bag
T136UWS1	136"(1:1)	96.0	96.0	243.8	243.8	25.1	28.2	11.4	12.8	105.5"x4.7"x7"	1.1	MaxWhite	Black	ZT136S1-120V Bag
Please visit www.elitescreens.com														
T84UWV1	84"(4:3)	50.0	67.0	127.0	170.2	13.9	17.0	6.3	7.7	77.2"x4.7"x7"	1.1	MaxWhite	Black	ZT84V1 Bag
T100UWV1	100"(4:3)	60.0	80.0	152.4	203.2	19.6	21.0	8.9	9.6	89.8"x4.7"x7"	1.1	MaxWhite	Black	ZT100V1 Bag
T120NWV1	120"(4:3)	72.0	96.0	182.9	243.8	24.6	28.4	11.2	12.9	105.5"x4.7"x7"	1.1	MaxWhite	White	ZT136S1-120V Bag
T120UWV1	120"(4:3)	72.0	96.0	182.9	243.8	24.6	28.4	11.2	12.9	105.5"x4.7"x7"	1.1	MaxWhite	Black	ZT136S1-120V Bag
T60UWH	60"(16:9)	29.0	50.0	73.7	127.0	11.9	14.6	5.4	6.6	62"x4.7"x7"	1.1	MaxWhite	Black	ZT71S1 Bag
T72UWH	72"(16:9)	35.0	63.0	88.9	160.0	13.3	16.4	6.1	7.5	72.4"x4.7"x7"	1.1	MaxWhite	Black	ZT84V1 Bag
T92UWH	92"(16:9)	45.0	80.0	114.3	203.2	15.9	21.7	7.2	9.9	89.8"x4.7"x7"	1.1	MaxWhite	Black	ZT92H Bag
T100UWH	100" (16:9)	49.0	87.0	124.5	221.0	16.7	20.7	7.6	9.4	97.2"x4.7"x7"	1.1	MaxWhite	Black	ZT100H Bag
T120UWH	120" (16:9)	59.1	104.7	150.1	265.9	25.0	30.8	11.4	14.0	114.2"x4.7"x7"	1.1	MaxWhite	Black	ZT120H Bag

Tripod Dimensions Table

Model	Screen Diag. & Aspect Ratio	View W.(A)	Case L.(A1)	Top Bar Length (A2)	L/R black masking (A3)	Screen W.(A4)	View H.(B)	Top of Screen at Max. H.(B1)	Top of Screen at Min. H. (B2)	B3	Bottom Border (B4)	Top Border (B5)	Top Bar Diameter (B6)	Leg length (C)	Max. Case H. (C1)	Min. Case H.(C2)	D	Case L. Closed (D1)	Case W. Closed (D2)	Leg Diameter (G)	G1	G2
T50UWS1	50"(1:1)	889	1015	1005	20	929	889	1840	1254	70	0	0	27	330	816	230	105	1041	150	600	1024	889
T71NWS1	71"(1:1)	1275	1442	1432	38	1351	1275	2435	2000	70	125	35	27	630	865	430	105	1468	150	1100	1570	1435
T71UWS1	71"(1:1)	1275	1442	1432	38	1351	1275	2435	2000	70	125	35	27	630	865	430	105	1468	150	1100	1570	1435
T85NWS1	85"(1:1)	1527	1696	1686	38	1603	1527	2685	2197	70	70	35	27	630	918	430	105	1722	150	1100	1767	1632
T85UWS1	85"(1:1)	1527	1696	1686	38	1603	1527	2685	2197	70	70	35	27	630	918	430	105	1722	150	1100	1767	1632
T99NWS1	99"(1:1)	1778	1955	1945	38	1854	1778	2885	2500	70	122	35	27	630	815	430	105	1981	150	1100	2070	1935
T99UWS1	99"(1:1)	1778	1955	1945	38	1854	1778	2885	2500	70	122	35	27	630	815	430	105	1981	150	1100	2070	1935
T113NWS1	113"(1:1)	2030	2204	2194	38	2106	2030	3185	2700	70	70	35	27	630	915	430	105	2230	150	1100	2270	2135
T113UWS1	113"(1:1)	2030	2204	2194	38	2106	2030	3185	2700	70	70	35	27	630	915	430	105	2230	150	1100	2270	2135
T119NWS1	119"(1:1)	2137	2305	2295	38	2213	2137	3185	2807	70	70	35	27	630	808	430	105	2331	150	1100	2377	2242
T119UWS1	119"(1:1)	2137	2305	2295	38	2213	2137	3185	2807	70	70	35	27	630	808	430	105	2331	150	1100	2377	2242
T136NWS1	136"(1:1)	2442	2601	2591	30	2502	2442	3585	3132	70	70	35	27	630	883	430	105	2627	150	1100	2702	2547
T136UWS1	136"(1:1)	2442	2601	2591	30	2502	2442	3585	3132	70	70	35	27	630	883	430	105	2627	150	1100	2702	2547
T80UWV1	80"(4:3)	1626	1795	1785	38	1702	1219	2435	1889	70	70	35	27	630	976	430	105	1821	150	1100	1459	1324
T84UWV1	84"(4:3)	1707	1880	1870	38	1783	1280	2435	2000	70	120	35	27	630	865	430	105	1906	150	1100	1570	1435
T100UWV1	100"(4:3)	2032	2204	2194	38	2108	1524	2885	2194	70	70	35	27	630	1121	430	105	2230	150	1100	1764	1629
T120NWV1	120"(4:3)	2438	2601	2591	38	2514	1829	3185	2519	70	70	35	27	630	1096	430	105	2627	150	1100	2089	1934
T120UWV1	120"(4:3)	2438	2601	2591	38	2514	1829	3185	2519	70	70	35	27	630	1096	430	105	2627	150	1100	2089	1934
T60UWH	60"(16:9)	1269	1498	1488	38	1345	736	2435	1406	70	70	35	27	630	1459	430	105	1524	150	1100	976	841
T72UWH	72"(16:9)	1600	1763	1753	38	1676	888	2435	1558	70	70	35	27	630	1307	430	105	1789	150	1100	1128	993
T92UWH	92"(16:9)	2037	2204	2194	38	2113	1146	2885	1816	70	70	35	27	630	1499	430	105	2230	150	1100	1386	1251
T100UWH	100"(16:9)	2214	2387	2377	38	2290	1245	2885	1915	70	70	35	27	630	1400	430	105	2413	150	1100	1485	1350
T120UWH	120"(16:9)	2657	2819	2809	38	2733	1494	3585	2184	70	70	35	27	630	1831	430	105	2845	150	1100	1754	1599

Unit: mm

Note: Data Error ±1". The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.



Tripod Dimensions Table

Model	Screen Diag. & Aspect Ratio	View W.(A)	Case L.(A1)	Top Bar Length (A2)	L/R black masking (A3)	Screen W.(A4)	View H.(B)	Top of Screen at Max. H.(B1)	Top of Screen at Min. H. (B2)	B3	Bottom Border (B4)	Top Border (B5)	Top Bar Diameter (B6)	Leg length (C)	Max. Case H. (C1)	Min. Case H.(C2)	D	Case L. Closed (D1)	Case W. Closed (D2)	Leg Diameter (G)	G1	G2
T50UWS1	50"(1:1)	35.0	40.0	39.6	0.8	36.6	35.0	72.4	49.4	2.8	0.0	0.0	1.1	13.0	32.1	9.1	4.1	41.0	5.9	23.6	40.3	35.0
T71NWS1	71"(1:1)	50.2	56.8	56.4	1.5	53.2	50.2	95.9	78.7	2.8	4.9	1.4	1.1	24.8	34.1	16.9	4.1	57.8	5.9	43.3	61.8	56.5
T71UWS1	71"(1:1)	50.2	56.8	56.4	1.5	53.2	50.2	95.9	78.7	2.8	4.9	1.4	1.1	24.8	34.1	16.9	4.1	57.8	5.9	43.3	61.8	56.5
T85NWS1	85"(1:1)	60.1	66.8	66.4	1.5	63.1	60.1	105.7	86.5	2.8	2.8	1.4	1.1	24.8	36.1	16.9	4.1	67.8	5.9	43.3	69.6	64.3
T85UWS1	85"(1:1)	60.1	66.8	66.4	1.5	63.1	60.1	105.7	86.5	2.8	2.8	1.4	1.1	24.8	36.1	16.9	4.1	67.8	5.9	43.3	69.6	64.3
T99NWS1	99"(1:1)	70.0	77.0	76.6	1.5	73.0	70.0	113.6	98.4	2.8	4.8	1.4	1.1	24.8	32.1	16.9	4.1	78.0	5.9	43.3	81.5	76.2
T99UWS1	99"(1:1)	70.0	77.0	76.6	1.5	73.0	70.0	113.6	98.4	2.8	4.8	1.4	1.1	24.8	32.1	16.9	4.1	78.0	5.9	43.3	81.5	76.2
T113NWS1	113"(1:1)	79.9	86.8	86.4	1.5	82.9	79.9	125.4	106.3	2.8	2.8	1.4	1.1	24.8	36.0	16.9	4.1	87.8	5.9	43.3	89.4	84.1
T113UWS1	113"(1:1)	79.9	86.8	86.4	1.5	82.9	79.9	125.4	106.3	2.8	2.8	1.4	1.1	24.8	36.0	16.9	4.1	87.8	5.9	43.3	89.4	84.1
T119NWS1	119"(1:1)	84.1	90.7	90.4	1.5	87.1	84.1	125.4	110.5	2.8	2.8	1.4	1.1	24.8	31.8	16.9	4.1	91.8	5.9	43.3	93.6	88.3
T119UWS1	119"(1:1)	84.1	90.7	90.4	1.5	87.1	84.1	125.4	110.5	2.8	2.8	1.4	1.1	24.8	31.8	16.9	4.1	91.8	5.9	43.3	93.6	88.3
T136NWS1	136"(1:1)	96.1	102.4	102.0	1.2	98.5	96.1	141.1	123.3	2.8	2.8	1.4	1.1	24.8	34.8	16.9	4.1	103.4	5.9	43.3	106.4	100.3
T136UWS1	136"(1:1)	96.1	102.4	102.0	1.2	98.5	96.1	141.1	123.3	2.8	2.8	1.4	1.1	24.8	34.8	16.9	4.1	103.4	5.9	43.3	106.4	100.3
T84UWV1	84"(4:3)	67.2	74.0	73.6	1.5	70.2	50.4	95.9	78.7	2.8	4.7	1.4	1.1	24.8	34.1	16.9	4.1	75.0	5.9	43.3	61.8	56.5
T100UWV1	100"(4:3)	80.0	86.8	86.4	1.5	83.0	60.0	113.6	86.4	2.8	2.8	1.4	1.1	24.8	44.1	16.9	4.1	87.8	5.9	43.3	69.4	64.1
T120NWV1	120"(4:3)	96.0	102.4	102.0	1.5	99.0	72.0	125.4	99.2	2.8	2.8	1.4	1.1	24.8	43.1	16.9	4.1	103.4	5.9	43.3	82.2	76.1
T120UWV1	120"(4:3)	96.0	102.4	102.0	1.5	99.0	72.0	125.4	99.2	2.8	2.8	1.4	1.1	24.8	43.1	16.9	4.1	103.4	5.9	43.3	82.2	76.1
T60UWH	60"(16:9)	50.0	59.0	58.6	1.5	53.0	29.0	95.9	55.4	2.8	2.8	1.4	1.1	24.8	57.4	16.9	4.1	60.0	5.9	43.3	38.4	33.1
T72UWH	72"(16:9)	63.0	69.4	69.0	1.5	66.0	35.0	95.9	61.3	2.8	2.8	1.4	1.1	24.8	51.5	16.9	4.1	70.4	5.9	43.3	44.4	39.1
T92UWH	92"(16:9)	80.2	86.8	86.4	1.5	83.2	45.1	113.6	71.5	2.8	2.8	1.4	1.1	24.8	59.0	16.9	4.1	87.8	5.9	43.3	54.6	49.3
T100UWH	100"(16:9)	87.2	94.0	93.6	1.5	90.2	49.0	113.6	75.4	2.8	2.8	1.4	1.1	24.8	55.1	16.9	4.1	95.0	5.9	43.3	58.5	53.1
T120UWH	120"(16:9)	104.6	111.0	110.6	1.5	107.6	58.8	141.1	86.0	2.8	2.8	1.4	1.1	24.8	72.1	16.9	4.1	112.0	5.9	43.3	69.1	63.0
T120UWH	120"(16:9)	2657	2819	2809	38	2733	1494	3585	2184	70	70	35	27	630	1831	430	105	2845	150	1100	1754	1599

Unit: inch

Note: Data Error ±1". The listed measurements are for general reference only. Please contact Elite Screens to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite Screens will not be held responsible or be otherwise liable for faulty installations.

